
Labgear

WIDE



BAND

UHF

AERIALS for better brighter

625 line TELEVISION

Labgear Ltd

CAMBRIDGE ENGLAND TELEPHONE CAMBRIDGE 47301-

MANUFACTURERS OF BRITAIN'S MOST ADVANCED TELEVISION AERIALS


THE LABGEAR 1964 RANGE OF WIDE BAND UHF AERIALS


OUTDOOR MODELS

LOFT AND SET-TOP MODELS




Gain 13 dB
F/B Ratio 25 dB
Acceptance
angle 35°
Retail price 63/-









Gain 10 dB
F/B Ratio 25 dB
Acceptance
angle 45°
Retail price 50/-





Gain 7 dB
F/B Ratio 18 dB
Acceptance
angle 60°
Retail price 31/-

Gain 7 dB
F/B Ratio 18 dB
Acceptance
angle 60°
Retail price 34/-



Gain 7 dB
F/B Ratio 18 dB
Acceptance
angle 60°
Retail price 31/6





1	
salested for	
(THE DESIGN CENTRE

UHF 4/L

UHF 2

Gain 6.5 dB
F/B Ratio 15 dB
Acceptance
angle 75°
Retail price 35/-

LABGEAR LIMITED

Cromwell Road Cambridge England

TEN SOLID REASONS WHY Labgear UHF AERIALS ARE PREFERRED ...

- The rectangular section boom is scientifically proportioned to combine mechanical robustness with light weight.
- 2 ** Extra strong SOLID rod elements combine optimum bandwidth with low wind resistance.
- UHF8 and UHF14 series have twin "snap-up" stacked reflectors, mounted on polypropylene moulding, ensuring good "ghost" rejection.
- The unique resonator element provides an excellent feeder match and avoids the need for a 'balun'.
- 5 ** Only 4 basic designs for every possible application.
- Model UHF14 R plus the Labgear UHF Signal Booster (E5122 A Retail 5 gns) provides 27 dB overall gain for fringe use (see illustration on front cover).
- Models illustrated cover ALL UHF channels allocated for London and surrounding area. Models for other areas available soon.
- 8 ** Mast mounted models are fitted with tilting clamp.
- Size for size LABGEAR UHF aerials are unequalled in performance.
- (10)★★ Really attractively priced.

Labgear Ltd

CAMBRIDGE ENGLAND TELEPHONE CAMBRIDGE 47301-